



IF IT DOESN'T SAY  
**BUSH HOG**®  
IT JUST WON'T CUT IT™

## ZERO-TURN MOWER PRICE LIST & SPECIFICATIONS

PRICES F.O.B. FACTORY AND SUBJECT TO CHANGE WITHOUT NOTICE

*Prices Effective January 1, 2020*

ZERO TURN-4 SERIES REVISED MAY 18, 2020





<b>ESTATE SERIES – 3</b>	
<b>Deck Size</b>	49", 55", and 61"
<b>Engine Options</b>	Kohler 7000 Series, Kawasaki FS 651, Kohler 7000 Series+PRO Filtration
<b>Drive System</b>	Hydro-Gear® ZT3100™ Dual Hydrostats
<b>Front Axle</b>	Fixed
<b>Brakes</b>	Hydraulic Braking, Disc-Type Parking Brake
<b>Steering Motor Control</b>	Dampened Twin Levers, Adjustable Fore, Aft and Vertically
<b>Front Caster Tires</b>	13 x 6.5-6 – 4-Ply Tubeless
<b>Drive Tires</b>	23 x 10.50-12 Turf (Bar Type Optional)
<b>Speed</b>	Infinitely Variable 0-8 mph Forward, 0-4 mph Reverse
<b>Blade Tip Speed</b>	18,000 fpm
<b>Controls</b>	Electronic Control Module w/Keyless Start and System Monitoring and Soft-Start PTO Engage
<b>Features</b>	Molded-in Large Beverage Holder and Storage Tray, Tethered Gas Tank Cap, Electronic Control Module
<b>PTO</b>	Electromagnetic Clutch Rated at 200 ft lbs
<b>Fuel Capacity</b>	8-Gallon Single-Center Mounted Tank
<b>Standard Seat</b>	Foam Padded Seat with Flip-Up Armrests and Seat Platform Elastic Isolators, Full-Suspension Seat Option, Embroidered Bush Hog® Logo
<b>Deck Construction</b>	7-Gauge Reinforced Steel
<b>Deck Lift</b>	Manual Foot Lift with Pin Out Height Selection
<b>Blades</b>	(3) 0.204 Inch Thick, Heat-Treated High Alloy Steel
<b>Cutting Height</b>	1-1/2 to 5 Inches, Adjustable in 1/4-Inch Increments
<b>Safety</b>	Certified Operator Presence Controls, 3" Diameter Round Tube ROPS, and Seat Belt
<b>Battery</b>	12 Volt, Rated 350 CCA
<b>Three-Year Limited Residential Use Warranty (third year parts only). Lifetime Limited Warranty on deck weldment. See dealer for details. One-Year or 400 Hours Commercial Use Warranty.</b>	

LIMITED AVAILABILITY

\*This model does not meet CARB exhaust emissions requirements; Not available for sale in California

\*\*Engines are rated at 3600 RPM per SAE J1940 Gross

\*\*\*Approved for use on US Forest Service Lands

**HOW TO ORDER:** The Bush Hog® HDE-3 Zero Turn Mower comes standard with turf tires and is available with a choice of 6 engine/deck combinations with 2 seat selections. You must order from Group 1 and Group 2 to receive a complete Zero Turn Mower. Add all prices for a total list price.

Freight NOT included in list price



## HDE-3 SERIES ZERO TURN MOWER

### BASE UNIT SELECTION

Model Number	Description	Ship Wt.	List Price (\$US)
HDE2049KT3	20HP, Kohler KT715, 49" Deck	900 lb.	\$6,832
HDE2249FS3	22HP, Kawasaki, FS651, 49" Deck	900 lb.	\$6,988
HDE2255FS3	22HP, Kawasaki, FS651, 55" Deck	900 lb.	\$7,001
HDE2555KP3	25HP, Kohler 7000 Series + Pro Filtration, 55" Deck	900 lb.	\$6,917
HDE2261FS3	22HP, Kawasaki, FS651, 61" Deck	900 lb.	\$7,088
HDE2561KP3	25HP, Kohler 7000 Series + Pro Filtration, 61" Deck	900 lb.	\$7,004

LIMITED AVAILABILITY

### GROUP 2 SEAT SELECTION

Model Number	Description	Ship Wt.	List Price (\$US)
50081243	Non-Suspension Seat with Isolator Kit	22 lb.	\$333
50081221	Full-Suspension Seat	50 lb.	\$621

### OPTIONS / SHIPPED SEPARATELY

Model Number	Description	List Price (\$US)
50049014	Mulching Kit for 49" Deck (Includes mulching blades)	\$225
50048625	Mulching Kit for 55" Deck (Includes mulching blades)	\$260
50048626	Mulching Kit for 61" Deck (Includes mulching blades)	\$295
50077277	Bar Tire 23 x 10.50 x 12	\$332
50078343	HD Series Zero Turn Canopy Kit	\$430
50079750	Seat Platform Isolator Kit (Below Serial Number 1HGLR1190700041)	\$75
50080566	Assist Handle Kit	\$53
50080564	Run Flat Front Tire Kit (2 wheels/tires)	\$202
50080572	5 Gallon Bucket Holder Kit (Bucket not included)	\$53
50080600	String Trimmer Holder Kit	\$85
50080783	LED Light Kit	\$96

Grass Collection System

Contact PECO at 1-800-438-5823 for pricing and availability information



**COMMERCIAL SERIES – 3**

<b>Deck Size</b>	61"
<b>Engine Options</b>	Kohler 7000 Series+PRO Filtration, Kawasaki FS691
<b>Drive System</b>	Hydro-Gear® ZT3400™ Dual Hydrostats
<b>Front Axle</b>	Fixed
<b>Brakes</b>	Hydraulic Braking, Disc-Type Parking Brake
<b>Steering Motor Control</b>	Dampened Twin Levers, Adjustable Fore, Aft and Vertically
<b>Front Caster Tires</b>	13 x 6.5-6 – 4-Ply Tubeless
<b>Drive Tires</b>	23 x 10.50-12 Turf (Bar Type Optional)
<b>Speed</b>	Infinitely Variable 0-10 mph Forward, 0-4 mph Reverse
<b>Blade Tip Speed</b>	18,000 fpm
<b>Controls</b>	Electronic Control Module w/Keyless Start and System Monitoring and Soft-Start PTO Engage
<b>Features</b>	Molded-in Large Beverage Holder and Storage Tray, Tethered Gas Tank Cap, Electronic Control Module
<b>PTO</b>	Electromagnetic Clutch Rated at 200 ft lbs
<b>Fuel Capacity</b>	8-Gallon Single-Center Mounted Tank
<b>Standard Seat</b>	Deluxe High-Back, Vinyl Full-Suspension Seat with Flip-Up Armrests, Operator Weight Adjustment, Fore and Aft Adjustment, Embroidered Bush Hog® Logo
<b>Deck Construction</b>	7-Gauge Reinforced Steel
<b>Deck Lift</b>	Rotary Dial Height Adjustment with Transport Lock
<b>Blades</b>	(3) 0.204 Inch Thick, Heat-Treated High Alloy Steel
<b>Cutting Height</b>	1-1/2 to 5 Inches, Adjustable in 1/4-Inch Increments
<b>Safety</b>	Certified Operator Presence Controls, 3" Diameter Round Tube ROPS, and Seat Belt
<b>Battery</b>	12 Volt, Rated 350 CCA

**LIMITED AVAILABILITY**

**Three-Year Limited Residential/Commercial Use Warranty (third year parts only). Lifetime Limited Warranty on deck weldment. See dealer for details.**

\*This model does not meet CARB exhaust emissions requirements; Not available for sale in California

\*\*Engines are rated at 3600 RPM per SAE J1940 Gross

\*\*\*Approved for use on US Forest Service Lands

**HOW TO ORDER:** The Bush Hog® HDC-3 Zero Turn Mower comes standard with turf tires, full-suspension seat, and is available with a choice of 2 engine/deck combinations. Add all prices for a total list price.

Freight NOT included in list price



## HDC-3 SERIES ZERO TURN MOWER

### BASE UNIT SELECTION

Model Number	Description	Ship Wt.	List Price (\$US)
HDC2361FS3	23HP, Kawasaki, FS691, 61" Deck	1,050 lb.	\$9,958
HDC2561KP3	25HP, Kohler 7000 Series + Pro Filtration, 61" Deck	1,050 lb.	\$9,548

LIMITED AVAILABILITY

### OPTIONS / SHIPPED SEPARATELY

Model Number	Description	List Price (\$US)
50048626	Mulching Kit for 61" Deck (Includes mulching blades)	\$295
50077277	Bar Tire 23 x 10.50 x 12	\$332
50078343	HD Series Zero Turn Canopy Kit	\$430
50079750	Seat Platform Isolator Kit (Below Serial Number 1HGGR1190570012)	\$75
50079748	LED Light Kit	\$75
50080566	Assist Handle Kit	\$53
50080564	Run Flat Front Tire Kit (2 wheels/tires)	\$202
50080572	5 Gallon Bucket Holder Kit (Bucket not included)	\$53
50080600	String Trimmer Holder Kit	\$85

Grass Collection System

Contact PECO at 1-800-438-5823 for pricing and availability information



**PROFESSIONAL SERIES – 3**

<b>Deck Size</b>	61" and 73"
<b>Engine Options</b>	Kawasaki FX921, Kohler EFI Command Pro
<b>Drive System</b>	Hydro-Gear® ZT5400™ Dual Hydrostats
<b>Front Axle</b>	Fixed
<b>Brakes</b>	Hydraulic Braking, Disc-Type Parking Brake
<b>Steering Motor Control</b>	Dampened Twin Levers, Adjustable Fore, Aft and Vertically
<b>Front Caster Tires</b>	13 x 6.5-6 – 4-Ply Tubeless
<b>Drive Tires</b>	24 x 12-12 Radial Type
<b>Speed</b>	Infinitely Variable 0-14 mph Forward, 0-4 mph Reverse
<b>Blade Tip Speed</b>	18,000 fpm
<b>Controls</b>	Electronic Control Module w/Keyless Start and System Monitoring and Soft-Start PTO Engage
<b>Features</b>	Molded-in Large Beverage Holder and Storage Tray, Tethered Gas Tank Cap, USB Port, Electronic Control Module, LED Lights
<b>PTO</b>	Electromagnetic Clutch Rated at 200 ft lbs
<b>Fuel Capacity</b>	8-Gallon Single-Center Mounted Tank
<b>Standard Seat</b>	Deluxe High-Back, Vinyl Full-Suspension Seat with Flip-Up Armrests, Operator Weight Adjustment, Fore and Aft Adjustment, Embroidered Bush Hog® Logo
<b>Deck Construction</b>	7-Gauge Reinforced Steel
<b>Deck Lift</b>	Rotary Dial Height Adjustment with Transport Lock
<b>Blades</b>	(3) 0.204 Inch Thick, Heat-Treated High Alloy Steel
<b>Cutting Height</b>	1-1/2 to 5-1/2 Inches, Adjustable in 1/4-Inch Increments
<b>Safety</b>	Certified Operator Presence Controls, 3" Diameter Round Tube ROPS, and Seat Belt
<b>Battery</b>	12 Volt, Rated 350 CCA

**LIMITED AVAILABILITY**

**Three-Year Limited Residential/Commercial Use Warranty (third year parts only). Lifetime Limited Warranty on deck weldment. See dealer for details.**

\*This model does not meet CARB exhaust emissions requirements; Not available for sale in California

\*\*Engines are rated at 3600 RPM per SAE J1940 Gross

\*\*\*Approved for use on US Forest Service Lands

**HOW TO ORDER:** The Bush Hog® HDZ-3 Zero Turn Mower comes standard with radial tires, full-suspension seat, and is available with a choice of 4 engine/deck combinations. Add all prices for a total list price.

Freight NOT included in list price



## HDZ-3 SERIES ZERO TURN MOWER

### BASE UNIT SELECTION

Model Number	Description	Ship Wt.	List Price (\$US)
HDZ3161FX3	31HP, Kawasaki, FX921, 61" Deck	1,400 lb.	\$11,758
HDZ3361ECV3	33HP, Kohler EFI Command Pro, 61" Deck	1,400 lb.	\$12,374
HDZ3173FX3	31HP, Kawasaki, FX921, 73" Deck	1,400 lb.	\$12,156
HDZ3373ECV3	33HP, Kohler EFI Command Pro, 73" Deck	1,400 lb.	\$12,771

LIMITED AVAILABILITY

### OPTIONS / SHIPPED SEPARATELY

Model Number	Description	List Price (\$US)
50048626	Mulching Kit for 61" Deck (Includes mulching blades)	\$295
50052952	Deck Caster Wheel Kit (61" deck only)	\$176
50077279	Bar Tire 24 x 12 x 12	\$332
50078343	HD Series Zero Turn Canopy Kit	\$430
50080511	Electric Actuator Kit (-2 and higher red models only)	\$533
50080566	Assist Handle Kit	\$53
50080564	Run Flat Front Tire Kit (2 wheels/tires)	\$202
50080573	5 Gallon Bucket Holder Kit (Bucket not included)	\$53
50080600	String Trimmer Holder Kit	\$85

Grass Collection System Contact PECO at 1-800-438-5823 for pricing and availability information



**NEW**  
*for*  
**2020**



**ESTATE SERIES – 4**

<b>Deck Size</b>	49", 55" and 61"
<b>Engine Options</b>	Kohler 7000 Series, Kawasaki FS 651, Kohler 7000 Series+PRO Filtration
<b>Drive System</b>	Hydro-Gear® ZT3100™ Dual Hydrostats
<b>Front Axle</b>	Fixed
<b>Brakes</b>	Hydraulic Braking, Disc-Type Parking Brake
<b>Steering Motor Control</b>	Dampened Twin Levers, Adjustable Fore, Aft and Vertically
<b>Front Caster Tires</b>	13 x 6.5-6 – 4-Ply Tubeless
<b>Drive Tires</b>	23 x 10.50-12 Turf or Bar Type
<b>Speed</b>	Infinitely Variable 0-8 mph Forward, 0-4 mph Reverse
<b>Blade Tip Speed</b>	18,000 fpm
<b>Controls</b>	Electronic Control Module w/Keyless Start and System Monitoring and Soft-Start PTO Engage
<b>Features</b>	Molded-in Large Beverage Holder and Storage Tray, Tethered Gas Tank Cap, Electronic Control Module
<b>PTO</b>	Electromagnetic Clutch Rated at 200 ft lbs
<b>Fuel Capacity</b>	8-Gallon Single-Center Mounted Tank
<b>Standard Seat</b>	Foam Padded Seat with Flip-Up Armrests and Seat Platform Elastic Isolators, Full-Suspension Seat Option Embroidered Bush Hog® Logo
<b>Deck Construction</b>	7-Gauge Reinforced Steel
<b>Deck Lift</b>	Manual Foot Lift with Pin Out Height Selection
<b>Blades</b>	(3) 0.204 Inch Thick, Heat-Treated High Alloy Steel
<b>Cutting Height</b>	1-1/2 to 5 Inches, Adjustable in 1/4-Inch Increments
<b>Safety</b>	Certified Operator Presence Controls, 2" Diamond Tube ROPS, and Seat Belt
<b>Battery</b>	12 Volt, Rated 350 CCA

**Three-Year Limited Residential Use Warranty (third year parts only). Lifetime Limited Warranty on deck weldment. See dealer for details. One-Year or 400 Hours Commercial Use Warranty.**

\*This model is designed to meet CARB exhaust emissions requirements.  
Full compliance with CARB requirements and availability to sell into California pending approval.  
\*\*Engines are rated at 3600 RPM per SAE J1940 Gross  
\*\*\*Approved for use on US Forest Service Lands

**HOW TO ORDER:** The Bush Hog® HDE-4 Series Zero Turn Mower is available with a choice of 6 engine/deck combinations with 2 tire packages, and 2 seat selections. You must order from Group 1, Group 2 and Group 3 to receive a complete Zero Turn Mower. Add all prices for a total list price.

Freight IS included in list price





***HDE-4 SERIES PRICES INCLUDE FREIGHT!***

**HDE-4 SERIES ZERO TURN MOWER**

**BASE UNIT SELECTION**

Model Number	Description	Ship Wt.	List Price (\$US)
HDE2049KT4	20HP, Kohler, KT715, 49" Deck	900 lb.	\$7,126
HDE2249FS4	22HP, Kawasaki, FS615, 49" Deck	900 lb.	\$7,282
HDE2255FS4	22HP, Kawasaki, FS651, 55" Deck	900 lb.	\$7,295
HDE2555KP4	25HP, Kohler 7000 Series + Pro Filtration, 55" Deck	900 lb.	\$7,411
HDE2261FS4	22HP, Kawasaki, FS651, 61" Deck	900 lb.	\$7,382
HDE2561KP4	25HP, Kohler 7000 Series + Pro Filtration, 61" Deck	900 lb.	\$7,498

**GROUP 2 TIRE SELECTION**

Model Number	Description	List Price (\$US)
50077276	Turf Tire 23 x 10.50 x 12	\$222
50077277	Bar Tire 23 x 10.50 x 12	\$405

**GROUP 3 SEAT SELECTION**

Model Number	Description	Ship Wt.	List Price (\$US)
50081243	Non-Suspension Seat with Isolator Kit	22 lb.	\$355
50081221	Full-Suspension Seat	50 lb.	\$643

**OPTIONS / SHIPPED SEPARATELY**

Model Number	Description	List Price (\$US)
50049014	Mulching Kit for 49" Deck (Includes mulching blades)	\$225
50048625	Mulching Kit for 55" Deck (Includes mulching blades)	\$260
50048626	Mulching Kit for 61" Deck (Includes mulching blades)	\$295
50079750	Seat Platform Isolator Kit (Below Serial Number 1HGLR1190700041)	\$75
50080566	Assist Handle Kit (HDE-3 and earlier)	\$53
50081509	Assist Handle Kit (HDE-4)	\$53
50080564	Run Flat Front Tire Kit (2 wheels/tires)	\$202
50080572	5 Gallon Bucket Holder Kit (Bucket not included)	\$53
50080600	String Trimmer Holder Kit (HDE-3 and earlier)	\$85
50081552	String Trimmer Holder Kit (HDE-4)	\$85
50080783	LED Light Kit	\$96
50081559	Front Suspension Kit	\$249
50081545	Jack and Mount Kit	\$89

Grass Collection System

Contact PECO at 1-800-438-5823 for pricing and availability information



**NEW**  
*for*  
**2020**



**COMMERCIAL SERIES – 4**

<b>Deck Size</b>	61"
<b>Engine Options</b>	Kohler 7000 Series+PRO Filtration, Kawasaki FS691
<b>Drive System</b>	Hydro-Gear® ZT3400™ Dual Hydrostats
<b>Front Axle</b>	Fixed
<b>Brakes</b>	Hydraulic Braking, Disc-Type Parking Brake
<b>Steering Motor Control</b>	Dampened Twin Levers, Adjustable Fore, Aft and Vertically
<b>Front Caster Tires</b>	13 x 6.5-6 – 4-Ply Tubeless
<b>Drive Tires</b>	23 x 10.50-12 Turf or Bar Type
<b>Speed</b>	Infinitely Variable 0-10 mph Forward, 0-4 mph Reverse
<b>Blade Tip Speed</b>	18,000 fpm
<b>Controls</b>	Electronic Control Module w/Keyless Start and System Monitoring and Soft-Start PTO Engage
<b>Features</b>	Molded-in Large Beverage Holder and Storage Tray, Tethered Gas Tank Cap, Electronic Control Module, USB Port
<b>PTO</b>	Electromagnetic Clutch Rated at 200 ft lbs
<b>Fuel Capacity</b>	8-Gallon Single-Center Mounted Tank
<b>Standard Seat</b>	Deluxe High-Back, Vinyl Full-Suspension Seat with Flip-Up Armrests, Operator Weight Adjustment, Fore and Aft Adjustment, Embroidered Bush Hog® Logo
<b>Deck Construction</b>	7-Gauge Reinforced Steel
<b>Deck Lift</b>	Rotary Dial Height Adjustment with Transport Lock
<b>Blades</b>	(3) 0.204 Inch Thick, Heat-Treated High Alloy Steel
<b>Cutting Height</b>	1-1/2 to 5 Inches, Adjustable in 1/4-Inch Increments
<b>Safety</b>	Certified Operator Presence Controls, 2" Diamond Tube ROPS, and Seat Belt
<b>Battery</b>	12 Volt, Rated 350 CCA

**Three-Year Limited Residential/Commercial Use Warranty (third year parts only). Lifetime Limited Warranty on deck weldment. See dealer for details.**

\*This model is designed to meet CARB exhaust emissions requirements.  
 Full compliance with CARB requirements and availability to sell into California pending approval.  
 \*\*Engines are rated at 3600 RPM per SAE J1940 Gross  
 \*\*\*Approved for use on US Forest Service Lands

**HOW TO ORDER:** The Bush Hog® HDC-4 Zero Turn Mower comes standard with a full-suspension seat and is available with a choice of 2 engine/deck combinations, and 2 tire packages. You must order from Group 1 and Group 2 to receive a complete Zero Turn Mower. Add all prices for a total list price.

Freight IS included in list price



***HDC-4 SERIES PRICES INCLUDE FREIGHT!***

**HDC-4 SERIES ZERO TURN MOWER**

**BASE UNIT SELECTION**

Model Number	Description	Ship Wt.	List Price (\$US)
HDC2361FS4	23HP, Kawasaki, FS691, 61" Deck	1,050 lb.	\$10,274
HDC2561KP4	25HP, Kohler 7000 Series + Pro Filtration, 61" Deck	1,050 lb.	\$9,864

**GROUP 2 TIRE SELECTION**

Model Number	Description	List Price (\$US)
50077276	Turf Tire 23 x 10.50 x 12	\$222
50077277	Bar Tire 23 x 10.50 x 12	\$405

**OPTIONS / SHIPPED SEPARATELY**

Model Number	Description	List Price (\$US)
50048626	Mulching Kit for 61" Deck (Includes mulching blades)	\$295
50079750	Seat Platform Isolator Kit (Below Serial Number 1HGGR1190570012)	\$75
50079748	LED Light Kit	\$75
50080566	Assist Handle Kit (HDC-3 and earlier)	\$53
50081509	Assist Handle Kit (HDC-4)	\$53
50080564	Run Flat Front Tire Kit (2 wheels/tires)	\$202
50080572	5 Gallon Bucket Holder Kit (Bucket not included)	\$53
50080600	String Trimmer Holder Kit (HDC-3 and earlier)	\$85
50081552	String Trimmer Holder Kit (HDC-4)	\$85
50081559	Front Suspension Kit	\$249
50081545	Jack and Mount Kit	\$89

Grass Collection System

Contact PECO at 1-800-438-5823 for pricing and availability information



**NEW**  
*for*  
**2020**



**PROFESSIONAL SERIES – 4**

<b>Deck Size</b>	55", 61" and 73"
<b>Engine Options</b>	Kawasaki FX921, Kohler EFI Command Pro
<b>Drive System</b>	Hydro-Gear® ZT5400™ Dual Hydrostats
<b>Front Axle</b>	Fixed
<b>Brakes</b>	Hydraulic Braking, Disc-Type Parking Brake
<b>Steering Motor Control</b>	Dampened Twin Levers, Adjustable Fore, Aft and Vertically
<b>Front Caster Tires</b>	13 x 6.5-6 – 4-Ply Tubeless
<b>Drive Tires</b>	24 x 12-12 Radial or Bar Type
<b>Speed</b>	Infinitely Variable 0-14 mph Forward, 0-4 mph Reverse
<b>Blade Tip Speed</b>	18,000 fpm
<b>Controls</b>	Electronic Control Module w/Keyless Start and System Monitoring and Soft-Start PTO Engage
<b>Features</b>	Molded-in Large Beverage Holder and Storage Tray, Tethered Gas Tank Cap, USB Port, Electronic Control Module, LED Lights, Patent-Pending Front Suspension
<b>PTO</b>	Electromagnetic Clutch Rated at 200 ft lbs
<b>Fuel Capacity</b>	8-Gallon Single-Center Mounted Tank
<b>Standard Seat</b>	Deluxe High-Back, Vinyl Full-Suspension Seat with Flip-Up Armrests, Operator Weight Adjustment, Fore and Aft Adjustment, Embroidered Bush Hog® Logo
<b>Deck Construction</b>	7-Gauge Reinforced Steel
<b>Deck Lift</b>	Rotary Dial Height Adjustment with Transport Lock
<b>Blades</b>	(3) 0.204 Inch Thick, Heat-Treated High Alloy Steel
<b>Cutting Height</b>	1-1/2 to 5 Inches, Adjustable in 1/4-Inch Increments
<b>Safety</b>	Certified Operator Presence Controls, 3" Diameter Round Tube ROPS, and Seat Belt
<b>Battery</b>	12 Volt, Rated 350 CCA

**Three-Year Limited Residential/Commercial Use Warranty (third year parts only). Lifetime Limited Warranty on deck weldment. See dealer for details.**

\*This model does not meet CARB exhaust emissions requirements; Not available for sale in California

\*\*Engines are rated at 3600 RPM per SAE J1940 Gross

\*\*\*Approved for use on US Forest Service Lands

**HOW TO ORDER:** The Bush Hog® HDZ-4 Zero Turn Mower comes standard with a full-suspension seat and is available with a choice of 9 engine/deck combinations and 2 tire packages. You must order from Group 1 and Group 2 to receive a complete Zero Turn Mower. Add all prices for a total list price.

Freight IS included in list price



***HDZ-4 SERIES PRICES INCLUDE FREIGHT!***

**HDZ-4 SERIES ZERO TURN MOWER**

**BASE UNIT SELECTION**

Model Number	Description	Ship Wt.	List Price (\$US)
HDZ3155FX4	31HP, Kawasaki, FX921, 55" Deck	1,400 lb.	\$11,705
HDZ3355ECV4	33HP, Kohler EFI Command Pro, 55" Deck	1,400 lb.	\$12,330
HDZ3855ECV4	38HP, Kohler EFI Command Pro, 55" Deck	1,400 lb.	\$12,705
HDZ3161FX4	31HP, Kawasaki, FX921, 61" Deck	1,400 lb.	\$11,999
HDZ3361ECV4	33HP, Kohler EFI Command Pro, 61" Deck	1,400 lb.	\$12,615
HDZ3861ECV4	38HP, Kohler EFI Command Pro, 61" Deck	1,400 lb.	\$13,110
HDZ3173FX4	31HP, Kawasaki, FX921, 73" Deck	1,400 lb.	\$12,397
HDZ3373ECV4	33HP, Kohler EFI Command Pro, 73" Deck	1,400 lb.	\$13,012
HDZ3873ECV4	38HP, Kohler EFI Command Pro, 73" Deck	1,400 lb.	\$13,480

**GROUP 2 TIRE SELECTION**

Model Number	Description	List Price (\$US)
50081550	Radial Tire 24 x 12 x 12	\$347
50077279	Bar Tire 24 x 12 x 12	\$455

**OPTIONS / SHIPPED SEPARATELY**


Model Number	Description	List Price (\$US)
50048625	Mulching Kit for 55" Deck (Includes mulching blades)	\$260
50048626	Mulching Kit for 61" Deck (Includes mulching blades)	\$295
50052952	Deck Caster Wheel Kit (61" deck only)	\$176
50080511	Electric Actuator Kit (-2 and higher red models only)	\$533
50080566	Assist Handle Kit (HDZ-3 and earlier)	\$53
50081509	Assist Handle Kit (HDZ-4)	\$53
50080564	Run Flat Front Tire Kit (2 wheels/tires)	\$202
50080573	5 Gallon Bucket Holder Kit (Bucket not included)	\$53
50080600	String Trimmer Holder Kit	\$85
50081559	Front Suspension Kit	\$249
50081545	Jack and Mount Kit	\$89

Grass Collection System

Contact PECO at 1-800-438-5823 for pricing and availability information







IF IT DOESN'T SAY  
**BUSH HOG**®  
IT JUST WON'T CUT IT™

2501 Griffin Avenue, Selma, Alabama 36703

Tel: 800-363-6096 | Fax: 334-874-2701



*BushHog.com*



**CONTENT DISCLAIMER:**

The products and information contained in this literature are subject to change without notice. Bush Hog® reserves the right to improve our products and make changes to specifications, designs, and standard equipment without notice. For additional product information, please visit Bush Hog®'s website or see your dealer for complete details.